

APPENDIX B

Raw Water Sample Data from Advanced Analytics



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

M.A.D. Scientist, LLC
253 N. State St, Suite 101
Westerville, OH 43081

Project: Lake Waynoka
P.O. Number: [none]
Project Manager: Jennie Morgan

Date Received: 7/13/11
Date Reported: 7/22/11

ANALYTICAL RESULTS

TOC-415.1

EPA 415.1

AAI I.D.	Client I.D.	Total Organic Carbon	Units	Reporting Limit	Date Collected	Date Analyzed	Notes
1107038-01	4 Up	ND	mg/L	0.10	7/12/11	7/15/11	
1107038-02	13 Up A	ND	mg/L	0.10	7/12/11	7/15/11	
1107038-03	13 Down A	6.80	mg/L	0.10	7/12/11	7/15/11	
1107038-04	13 Down B	9.10	mg/L	0.10	7/12/11	7/15/11	
1107038-05	13 Down C	ND	mg/L	0.10	7/12/11	7/15/11	
1107038-06	11 Up	ND	mg/L	0.10	7/12/11	7/15/11	
1107038-07	11 Down A	ND	mg/L	0.10	7/12/11	7/15/11	
1107038-08	11 Down B	ND	mg/L	0.10	7/12/11	7/15/11	
1107038-09	11 Down C	ND	mg/L	0.10	7/12/11	7/15/11	
1107038-10	4 Down	ND	mg/L	0.10	7/12/11	7/15/11	
1107038-11	Sioux	11.7	mg/L	0.10	7/12/11	7/15/11	
1107038-12	6 A	12.2	mg/L	0.10	7/12/11	7/15/11	
1107038-13	6 B	ND	mg/L	0.10	7/12/11	7/15/11	
1107038-14	6 C	7.70	mg/L	0.10	7/12/11	7/15/11	
1107038-15	7 Up	ND	mg/L	0.10	7/12/11	7/15/11	
1107038-16	7 Down A	16.8	mg/L	0.10	7/12/11	7/15/11	
1107038-17	7 Down B	25.3	mg/L	0.10	7/12/11	7/15/11	
1107038-18	7 Down C	18.7	mg/L	0.10	7/12/11	7/15/11	
1107038-19	8 Up	11.2	mg/L	0.10	7/12/11	7/15/11	
1107038-20	8 Down A	19.6	mg/L	0.10	7/12/11	7/15/11	
1107038-21	8 Down B	10.3	mg/L	0.10	7/12/11	7/15/11	
1107038-22	8 Down C	30.9	mg/L	0.10	7/12/11	7/15/11	

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

M.A.D. Scientist, LLC
253 N. State St, Suite 101
Westerville, OH 43081

Project: Lake Waynoka
P.O. Number: [none]
Project Manager: Jennie Morgan

Date Received: 7/13/11
Date Reported: 7/22/11

ANALYTICAL RESULTS

TOC-415.1

EPA 415.1

AAI I.D.	Client I.D.	Total Organic Carbon	Units	Reporting Limit	Date Collected	Date Analyzed	Notes
----------	-------------	----------------------	-------	--------------------	-------------------	------------------	-------

Notes and Definitions

DET Analyte DETECTED
ND Analyte NOT DETECTED at or above the reporting limit



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE
COLUMBUS, OHIO 43212
(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

M.A.D. Scientist, LLC
253 N. State St, Suite 101
Westerville, OH 43081

Project: Lake Water
P.O. Number: [none]
Project Manager: Jennie Morgan

Date Received: 7/21/11
Date Reported: 8/1/11

ANALYTICAL RESULTS

TOC-415.1

EPA 415.1

AAI I.D.	Client I.D.	Total Organic Carbon	Units	Reporting Limit	Date Collected	Date Analyzed	Notes
1107065-01	Cove 13 Up A	20.7	mg/L	0.10	7/17/11	7/27/11	
1107065-02	Cove 13 Up B	19.7	mg/L	0.10	7/17/11	7/27/11	
1107065-03	Cove 13 Up C	35.8	mg/L	0.10	7/17/11	7/27/11	
1107065-04	Cove 13 Down A	16.1	mg/L	0.10	7/17/11	7/27/11	
1107065-05	Cove 13 Down B	19.2	mg/L	0.10	7/17/11	7/27/11	
1107065-06	Cove 13 Down C	23.2	mg/L	0.10	7/17/11	7/27/11	
1107065-07	Cove 11 Up A	22.7	mg/L	0.10	7/17/11	7/27/11	
1107065-10	Cove 11 Down A	173	mg/L	0.10	7/17/11	7/27/11	
1107065-13	Cove 8 Up A	44.4	mg/L	0.10	7/17/11	7/27/11	
1107065-14	Cove 8 Up B	38.8	mg/L	0.10	7/17/11	7/27/11	
1107065-15	Cove 8 Up C	23.0	mg/L	0.10	7/17/11	7/27/11	
1107065-16	Cove 8 Down A	31.8	mg/L	0.10	7/17/11	7/27/11	
1107065-17	Cove 8 Down B	18.2	mg/L	0.10	7/17/11	7/27/11	
1107065-18	Cove 8 Down C	35.3	mg/L	0.10	7/17/11	7/27/11	
1107065-19	Cove 7 Up A	18.2	mg/L	0.10	7/17/11	7/27/11	
1107065-20	Cove 7 Up B	23.7	mg/L	0.10	7/17/11	7/27/11	
1107065-21	Cove 7 Up C	18.7	mg/L	0.10	7/17/11	7/27/11	
1107065-22	Cove 7 Down A	39.8	mg/L	0.10	7/17/11	7/27/11	
1107065-23	Cove 7 Down B	49.4	mg/L	0.10	7/17/11	7/27/11	
1107065-24	Cove 7 Down C	11.1	mg/L	0.10	7/17/11	7/27/11	
1107065-29	Cove 4 Up A	21.2	mg/L	0.10	7/17/11	7/27/11	
1107065-30	Cove 4 Up B	6.56	mg/L	0.10	7/17/11	7/27/11	
1107065-31	Cove 4 Up C	32.8	mg/L	0.10	7/17/11	7/27/11	
1107065-32	Cove 4 Down A	31.3	mg/L	0.10	7/17/11	7/27/11	
1107065-33	Cove 4 Down B	14.1	mg/L	0.10	7/17/11	7/27/11	
1107065-34	Cove 4 Down C	27.2	mg/L	0.10	7/17/11	7/27/11	
1107065-37	4 Up A	13.1	mg/L	0.10	7/20/11	7/27/11	
1107065-40	4 Down A	17.9	mg/L	0.10	7/20/11	7/27/11	

Samples labeled 7-20-11 were incorrectly labeled and were actually collected 7-19-11

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE
COLUMBUS, OHIO 43212
(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

M.A.D. Scientist, LLC
253 N. State St, Suite 101
Westerville, OH 43081

Project: Lake Water
P.O. Number: [none]
Project Manager: Jennie Morgan

Date Received: 7/21/11
Date Reported: 8/1/11

ANALYTICAL RESULTS

TOC-415.1

EPA 415.1

AAI I.D.	Client I.D.	Total Organic Carbon	Units	Reporting Limit	Date Collected	Date Analyzed	Notes
1107065-41	4 Down B	9.58	mg/L	0.10	7/20/11	7/27/11	Samples labeled 7/20/11 were incorrectly labeled and were actually collected 7/19/11
1107065-42	4 Down C	16.6	mg/L	0.10	7/20/11	7/27/11	
1107065-43	Sioux A	32.8	mg/L	0.10	7/20/11	7/27/11	
1107065-44	Sioux B	15.3	mg/L	0.10	7/20/11	7/27/11	
1107065-45	Sioux C	10.1	mg/L	0.10	7/20/11	7/27/11	
1107065-46	6 A	8.36	mg/L	0.10	7/20/11	7/27/11	
1107065-47	6 B	21.3	mg/L	0.10	7/20/11	7/27/11	
1107065-48	6 C	24.1	mg/L	0.10	7/20/11	7/27/11	
1107065-49	7 Up A	6.65	mg/L	0.10	7/20/11	7/27/11	
1107065-52	7 Down A	21.3	mg/L	0.10	7/20/11	7/27/11	
1107065-53	7 Down B	18.6	mg/L	0.10	7/20/11	7/27/11	
1107065-54	7 Down C	12.3	mg/L	0.10	7/20/11	7/27/11	
1107065-56	8 Up B	26.4	mg/L	0.10	7/20/11	7/27/11	
1107065-58	8 Down A	18.9	mg/L	0.10	7/20/11	7/27/11	
1107065-59	8 Down B	16.2	mg/L	0.10	7/20/11	7/27/11	
1107065-60	8 Down C	20.6	mg/L	0.10	7/20/11	7/27/11	
1107065-61	11 Up A	21.0	mg/L	0.10	7/20/11	7/27/11	
1107065-64	11 Down A	21.3	mg/L	0.10	7/20/11	7/27/11	
1107065-65	11 Down B	19.8	mg/L	0.10	7/20/11	7/27/11	
1107065-66	11 Down C	14.3	mg/L	0.10	7/20/11	7/27/11	
1107065-67	13 Up A	16.0	mg/L	0.10	7/20/11	7/27/11	
1107065-70	13 Down A	27.1	mg/L	0.10	7/20/11	7/27/11	
1107065-71	13 Down B	15.7	mg/L	0.10	7/20/11	7/27/11	
1107065-72	13 Down C	3.07	mg/L	0.10	7/20/11	7/27/11	



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

M.A.D. Scientist, LLC
253 N. State St, Suite 101
Westerville, OH 43081

Project: Lake Water
P.O. Number: [none]
Project Manager: Jennie Morgan

Date Received: 7/21/11
Date Reported: 8/1/11

ANALYTICAL RESULTS

TOC-415.1

EPA 415.1

AAI I.D.	Client I.D.	Total Organic Carbon	Units	Reporting Limit	Date Collected	Date Analyzed	Notes
----------	-------------	----------------------	-------	--------------------	-------------------	------------------	-------

Notes and Definitions

DET Analyte DETECTED
ND Analyte NOT DETECTED at or above the reporting limit



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

M.A.D. Scientist, LLC
253 N. State St, Suite 101
Westerville, OH 43081

Project: Lake Waynoka
P.O. Number: [none]
Project Manager: Jennie Morgan

Date Received: 7/13/11
Date Reported: 7/22/11

ANALYTICAL RESULTS

Solids, TSS-160.2

EPA 160.2

AAI I.D.	Client I.D.	Total Suspended Solids	Units	Reporting Limit	Date Collected	Date Analyzed	Notes
1107040-01	8 Up A	9	mg/L	3	7/12/11	7/14/11	
1107040-02	8 Up C	10	mg/L	3	7/12/11	7/14/11	
1107040-03	Straight CK Down A	13	mg/L	3	7/12/11	7/14/11	
1107040-04	4 Down A	4	mg/L	3	7/12/11	7/14/11	
1107040-05	4 Down B	6	mg/L	3	7/12/11	7/14/11	
1107040-06	Cove 6 B	8	mg/L	3	7/12/11	7/14/11	
1107040-07	Sioux Cove C	9	mg/L	3	7/12/11	7/14/11	
1107040-08	11 Down A	6	mg/L	3	7/12/11	7/14/11	
1107040-09	11 Down B	4	mg/L	3	7/12/11	7/14/11	
1107040-10	8 Down A	7	mg/L	3	7/12/11	7/14/11	
1107040-11	8 Down B	14	mg/L	3	7/12/11	7/14/11	
1107040-12	8 Up B	8	mg/L	3	7/12/11	7/14/11	
1107040-13	8 Down C	9	mg/L	3	7/12/11	7/14/11	
1107040-14	Cove 6 A	8	mg/L	3	7/12/11	7/14/11	
1107040-15	Straight CK Up A	13	mg/L	3	7/12/11	7/14/11	
1107040-16	4 Down C	4	mg/L	3	7/12/11	7/14/11	
1107040-17	Straight CK Up B	13	mg/L	3	7/12/11	7/14/11	
1107040-18	Straight CK Up C	21	mg/L	3	7/12/11	7/14/11	
1107040-19	Straight CK Down B	11	mg/L	3	7/12/11	7/14/11	
1107040-20	Straight CK Down C	14	mg/L	3	7/12/11	7/14/11	
1107040-21	Cove 6 C	7	mg/L	3	7/12/11	7/15/11	
1107040-22	Sioux Cove A	6	mg/L	3	7/12/11	7/15/11	
1107040-23	Sioux Cove B	5	mg/L	3	7/12/11	7/15/11	
1107040-24	11 Up A	3	mg/L	3	7/12/11	7/15/11	
1107040-25	11 Up B	4	mg/L	3	7/12/11	7/15/11	
1107040-26	11 Up C	5	mg/L	3	7/12/11	7/15/11	
1107040-27	4 Up A	11	mg/L	3	7/12/11	7/15/11	
1107040-28	13 Down A	6	mg/L	3	7/12/11	7/15/11	

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

M.A.D. Scientist, LLC
253 N. State St, Suite 101
Westerville, OH 43081

Project: Lake Waynoka
P.O. Number: [none]
Project Manager: Jennie Morgan

Date Received: 7/13/11
Date Reported: 7/22/11

ANALYTICAL RESULTS

Solids, TSS-160.2

EPA 160.2

AAI I.D.	Client I.D.	Total Suspended Solids	Units	Reporting Limit	Date Collected	Date Analyzed	Notes
1107040-29	13 Down B	3	mg/L	3	7/12/11	7/15/11	
1107040-30	13 Down C	4	mg/L	3	7/12/11	7/15/11	
1107040-31	4 Up B	9	mg/L	3	7/12/11	7/15/11	
1107040-32	13 Up A	ND	mg/L	3	7/12/11	7/15/11	
1107040-33	13 Up B	4	mg/L	3	7/12/11	7/15/11	
1107040-34	4 Up C	7	mg/L	3	7/12/11	7/15/11	
1107040-35	11 Down C	7	mg/L	3	7/12/11	7/15/11	
1107040-36	13 Up C	4	mg/L	3	7/12/11	7/15/11	

Notes and Definitions

DET Analyte DETECTED
ND Analyte NOT DETECTED at or above the reporting limit

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

M.A.D. Scientist, LLC
253 N. State St, Suite 101
Westerville, OH 43081

Project: Lake Water
P.O. Number: [none]
Project Manager: Jennie Morgan

Date Received: 7/21/11
Date Reported: 8/1/11

ANALYTICAL RESULTS

Solids, TSS-160.2

EPA 160.2

AAI I.D.	Client I.D.	Total Suspended Solids	Units	Reporting Limit	Date Collected	Date Analyzed	Notes
1107065-01	Cove 13 Up A	8	mg/L	3	7/17/11	7/21/11	
1107065-02	Cove 13 Up B	7	mg/L	3	7/17/11	7/21/11	
1107065-03	Cove 13 Up C	7	mg/L	3	7/17/11	7/21/11	
1107065-04	Cove 13 Down A	9	mg/L	3	7/17/11	7/21/11	
1107065-05	Cove 13 Down B	9	mg/L	3	7/17/11	7/21/11	
1107065-06	Cove 13 Down C	8	mg/L	3	7/17/11	7/21/11	
1107065-07	Cove 11 Up A	9	mg/L	3	7/17/11	7/21/11	
1107065-08	Cove 11 Up A	8	mg/L	3	7/17/11	7/21/11	
1107065-09	Cove 11 Up C	9	mg/L	3	7/17/11	7/21/11	
1107065-10	Cove 11 Down A	7	mg/L	3	7/17/11	7/21/11	
1107065-11	Cove 11 Down B	6	mg/L	3	7/17/11	7/21/11	
1107065-12	Cove 11 Down C	6	mg/L	3	7/17/11	7/21/11	
1107065-13	Cove 8 Up A	13	mg/L	3	7/17/11	7/21/11	
1107065-14	Cove 8 Up B	13	mg/L	3	7/17/11	7/21/11	
1107065-15	Cove 8 Up C	12	mg/L	3	7/17/11	7/21/11	
1107065-16	Cove 8 Down A	12	mg/L	3	7/17/11	7/21/11	
1107065-17	Cove 8 Down B	12	mg/L	3	7/17/11	7/21/11	
1107065-18	Cove 8 Down C	11	mg/L	3	7/17/11	7/21/11	
1107065-19	Cove 7 Up A	55	mg/L	3	7/17/11	7/21/11	
1107065-20	Cove 7 Up B	38	mg/L	3	7/17/11	7/21/11	
1107065-21	Cove 7 Up C	32	mg/L	3	7/17/11	7/21/11	
1107065-22	Cove 7 Down A	16	mg/L	3	7/17/11	7/21/11	
1107065-23	Cove 7 Down B	13	mg/L	3	7/17/11	7/21/11	
1107065-24	Cove 7 Down C	16	mg/L	3	7/17/11	7/21/11	
1107065-25	Cove 6 A	9	mg/L	3	7/17/11	7/21/11	
1107065-26	Cove 6 B	9	mg/L	3	7/17/11	7/21/11	
1107065-27	Cove 6 C	9	mg/L	3	7/17/11	7/21/11	
1107065-28	Cove 5 A	6	mg/L	3	7/17/11	7/21/11	

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

M.A.D. Scientist, LLC
253 N. State St, Suite 101
Westerville, OH 43081

Project: Lake Water
P.O. Number: [none]
Project Manager: Jennie Morgan

Date Received: 7/21/11
Date Reported: 8/1/11

ANALYTICAL RESULTS

Solids, TSS-160.2

EPA 160.2

AAI I.D.	Client I.D.	Total Suspended Solids	Units	Reporting Limit	Date Collected	Date Analyzed	Notes
1107065-29	Cove 4 Up A	5	mg/L	3	7/17/11	7/21/11	
1107065-30	Cove 4 Up B	5	mg/L	3	7/17/11	7/21/11	
1107065-31	Cove 4 Up C	8	mg/L	3	7/17/11	7/21/11	
1107065-32	Cove 4 Down A	8	mg/L	3	7/17/11	7/21/11	
1107065-33	Cove 4 Down B	8	mg/L	3	7/17/11	7/21/11	
1107065-34	Cove 4 Down C	6	mg/L	3	7/17/11	7/21/11	
1107065-35	Cove 5 B	8	mg/L	3	7/17/11	7/21/11	
1107065-36	Cove 5 C	8	mg/L	3	7/17/11	7/21/11	
1107065-37	4 Up A	12	mg/L	3	7/20/11	7/22/11	
1107065-38	4 Up B	10	mg/L	3	7/20/11	7/22/11	
1107065-39	4 Up C	8	mg/L	3	7/20/11	7/22/11	
1107065-40	4 Down A	8	mg/L	3	7/20/11	7/22/11	
1107065-41	4 Down B	9	mg/L	3	7/20/11	7/22/11	
1107065-42	4 Down C	10	mg/L	3	7/20/11	7/22/11	
1107065-43	Sioux A	8	mg/L	3	7/20/11	7/22/11	
1107065-44	Sioux B	7	mg/L	3	7/20/11	7/22/11	
1107065-45	Sioux C	7	mg/L	3	7/20/11	7/22/11	
1107065-46	6 A	11	mg/L	3	7/20/11	7/22/11	
1107065-47	6 B	10	mg/L	3	7/20/11	7/22/11	
1107065-48	6 C	7	mg/L	3	7/20/11	7/22/11	
1107065-49	7 Up A	13	mg/L	3	7/20/11	7/22/11	
1107065-50	7 Up B	12	mg/L	3	7/20/11	7/22/11	
1107065-51	7 Up C	12	mg/L	3	7/20/11	7/22/11	
1107065-52	7 Down A	14	mg/L	3	7/20/11	7/22/11	
1107065-53	7 Down B	16	mg/L	3	7/20/11	7/22/11	
1107065-54	7 Down C	15	mg/L	3	7/20/11	7/22/11	
1107065-55	8 Up A	14	mg/L	3	7/20/11	7/22/11	
1107065-56	8 Up B	12	mg/L	3	7/20/11	7/22/11	
1107065-57	8 Up C	11	mg/L	3	7/20/11	7/26/11	
1107065-58	8 Down A	19	mg/L	3	7/20/11	7/26/11	

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

M.A.D. Scientist, LLC
253 N. State St, Suite 101
Westerville, OH 43081

Project: Lake Water
P.O. Number: [none]
Project Manager: Jennie Morgan

Date Received: 7/21/11
Date Reported: 8/1/11

ANALYTICAL RESULTS

Solids, TSS-160.2

EPA 160.2

AAI I.D.	Client I.D.	Total Suspended Solids	Units	Reporting Limit	Date Collected	Date Analyzed	Notes
1107065-59	8 Down B	12	mg/L	3	7/20/11	7/26/11	
1107065-60	8 Down C	10	mg/L	3	7/20/11	7/26/11	
1107065-61	11 Up A	6	mg/L	3	7/20/11	7/26/11	
1107065-62	11 Up B	8	mg/L	3	7/20/11	7/26/11	
1107065-63	11 Up C	9	mg/L	3	7/20/11	7/26/11	
1107065-64	11 Down A	5	mg/L	3	7/20/11	7/26/11	
1107065-65	11 Down B	9	mg/L	3	7/20/11	7/26/11	
1107065-66	11 Down C	8	mg/L	3	7/20/11	7/26/11	
1107065-67	13 Up A	4	mg/L	3	7/20/11	7/26/11	
1107065-68	13 Up B	8	mg/L	3	7/20/11	7/26/11	
1107065-69	13 Up C	7	mg/L	3	7/20/11	7/26/11	
1107065-70	13 Down A	6	mg/L	3	7/20/11	7/26/11	
1107065-71	13 Down B	5	mg/L	3	7/20/11	7/26/11	
1107065-72	13 Down C	7	mg/L	3	7/20/11	7/26/11	

Notes and Definitions

DET Analyte DETECTED
ND Analyte NOT DETECTED at or above the reporting limit

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.